# U.S. National Phase of PCT/IT2004/000375

# **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (original) A compound of formula (I)

wherein:

R<sub>1</sub>, R<sub>2</sub> and R<sub>3</sub>, which can be the same or different, are H, OMe, NO<sub>2</sub>, NHR';

X and Y, different each other, are halogen or H;

Z = H or halogen

 $R = OH, OPO_3Na_2, OCH_2OPO_3Na_2, OR', NO_2, NHR';$ 

R' = H, alkyl (C<sub>1</sub>-C<sub>6</sub>), (COCHR"NH)<sub>n</sub>-H;

R" = H, an amino acid side chain, Ph;

### U.S. National Phase of PCT/IT2004/000375

n an integer comprised between 1 and 3;

their pharmaceutically acceptable salts, racemates and single enantiomers.

- 2. (original) A compound according to Claim 1, selected from the group consisting of:
- a compound wherein at least one of X and Y is halogen,  $R_1$ - $R_3$  are methoxy, and R is hydroxy;
- a compound wherein at least one of X and Y is halogen, R<sub>1</sub>-R<sub>3</sub> are methoxy, R is amino or substituted amino;
- a compound wherein at least one of X and Y is halogen, R<sub>1</sub>-R<sub>3</sub> are different from methoxy, R is hydroxy;
- a compound wherein R is OPO<sub>3</sub>Na<sub>2</sub> and
- a compound wherein R' is (COCHR"NH)<sub>n</sub>-H.
- 3. (currently amended) A compound according to Claim 1—or—2, wherein R" is the side chain of a natural amino acid.
- 4. (original) A compound according to Claim 1 selected from the group consisting of:

X = Y = F;  $R = OPO_3Na_2$ : difluorocombretastatin;

X = Y = F;  $R = NH_2$ : difluoroaminocombretastatin;

X = H; Y = F;  $R = OPO_3Na_2$ : monofluorocombretastatin;

### U.S. National Phase of PCT/IT2004/000375

X = F; Y = H;  $R = OPO_3Na_2$ : monofluorocombretastatin;

X = H; Y = F;  $R = NH_2$ : monofluoroaminocombretastatin;

X = F; Y = H;  $R = NH_2$ : monofluoroaminocombretastatin.

X= Br; Y=F; R= OPO<sub>3</sub>Na<sub>2</sub> bromofluorocombretastatin

- 5. (original) A process for the preparation of the compounds of Claim 1, wherein X and Y are both F comprising the following steps:
- a) reaction of 1-bromo-1,2-difluoro-2-(4-methoxy-3-(protected OH)-phenyl)ethene with 3-R<sub>1</sub>-4-R<sub>2</sub>-5-R<sub>3</sub>-phenylboronic acid, and
- b) restoring the 3-(protected OH) group.
- 6. (original) A process for the preparation of compounds of Claim 1, wherein one of the X and Y is F and the other one is hydrogen, comprises the following steps:
- a) bromofluorination of the compound of Formula (I), wherein X and Y are H, and
- b) base-promoted HBr elimination.
- 7. (original) A process for the preparation of compounds of Claim 1, wherein one of the X and Y is F, comprising the following steps:
- a) transformation of compound of Formula (I), wherein X and Y are H into the respective bromohydrin, and
- b) base-promoted HBr elimination.

## U.S. National Phase of PCT/IT2004/000375

- 8. (original) A process for the preparation of compounds of Claim 1, wherein one of the X and Y is F, comprising the following steps:
- a) transformation of compound of Formula (I), wherein X and Y are H into the respective epoxide;
- b) epoxide opening to give the respective bromohydrin, and
- c) base-promoted HBr elimination, or in alternative,
- d) epoxide opening to give the respective fluorohydrin, and
- e) elimination of the opportune hydroxyl derivative.
- 9. (original) A process for the preparation of compounds of Claim 1, wherein one of the X or Y is F and the other is Br, comprising the following steps:
- a) transformation of compound of Formula (I), wherein X and Y are H into the respective bromohydrin, and
- b) base-promoted HBr elimination.
- 10. (currently amended) The use of the compounds of any one of Claims 1-4Claim 1 for the recognition and binding to the tubulin site.
- 11. (currently amended) The use of the compounds of any one of Claims 1-4Claim 1 as medicaments.

## U.S. National Phase of PCT/IT2004/000375

- 12. (currently amended) The use of the compounds of any one of Claims 1-4Claim 1 for the preparation of a medicament for treating a pathological state.
- 13. (original) The use according to Claim 12, wherein said pathological state is a tumour.
- 14. (original) The use according to Claim 13, wherein said tumour is selected from the group consisting of sarcoma, carcinoma, carcinoid, bone tumour, neuroendocrine tumour, lymphoid leukaemia, acute promyelocytic leukaemia, myeloid leukaemia, monocytic leukaemia, megakaryoblastic leukaemia and non Hodgkin's disease, hemangiomas and multiple myeloma, anaplastic thyroid cancer.
- 15. (original) Use of compounds, according to claim 5, as antimetastatic agents.
- 16. (original) The use according to Claim 12, wherein said pathological state is caused by abnormal angiogenesis.
- 17. (original) The use according to Claim 16, wherein said pathological state caused by abnormal angiogenesis is selected from the group consisting of tumour metastases; arthritic disease; diabetic retinopathy; macular degeneration, psoriasis; chronic inflammatory diseases or arteriosclerosis.

# U.S. National Phase of PCT/IT2004/000375

18. (original) The use according to Claim 12, wherein said pathological states is a non-neoplastic disease.

19. (currently amended) A pharmaceutical composition comprising at least a compound of any one of Claims 1-4Claim 1, in admixture with at least one pharmaceutically acceptable carrier and/or excipient.